



Coat Color and Trait Certificate

Call Name: Allegretto's Frigg **Laboratory #:** 286114
Registered Name: - **Registration #:** -
Breed: Labradoodle **Certificate Date:** Jan. 31, 2022
Sex: Female
DOB: Jan. 2022

This canine's DNA showed the following genotype(s):

Coat Color/Trait Test	Gene	Genotype	Interpretation
IC Locus (Improper Coat/Furnishings)	RSPO2	F/F	Furnishings

Interpretation:

This dog does not carry the mutation for weak furnishings or improper coat and will therefore have furnishings (proper coat). However, the overall coat type of this dog is dependent on the combination of this dog's genotypes at the L, Cu, and IC loci. This dog will pass **F** (furnishings, proper coat) to 100% of its offspring.

Paw Print Genetics® has genetic counseling available to you at no additional charge to answer any questions about these test results, their implications and potential outcomes in breeding this dog.

Blake C Ballif, PhD
Laboratory & Scientific Director

Christina J Ramirez, PhD, DVM, DACVP
Medical Director

Normal results do not exclude inherited mutations not tested in these or other genes that may cause medical problems or may be passed on to offspring. These tests were developed and their performance determined by Paw Print Genetics®. This laboratory has established and verified the tests' accuracy and precision. Because all tests performed are DNA-based, rare genomic variations may interfere with the performance of some tests producing false results. If you think these results are in error, please contact the laboratory immediately for further evaluation. In the event of a valid dispute of results claim, Paw Print Genetics will do its best to resolve such a claim to the customer's satisfaction. If no resolution is possible after investigation by Paw Print Genetics with the cooperation of the customer, the extent of the customer's sole remedy is a refund of the fee paid. In no event shall Paw Print Genetics be liable for indirect, consequential or incidental damages of any kind. Any claim must be asserted within 60 days of the report of the test results.